

ALIGNMENT VEHICLE LIFT SYSTEMS



4814605LL




PROFESSIONAL ALIGNMENT LIFT SOLUTIONS.
PREMIUM FEATURES.

Unmatched productivity, performance and value.

INTRODUCING THE **14K** ALIGNMENT
LIFT SYSTEM

JohnBean

THE 14K ALIGNMENT SCISSOR LIFT POWER. PERFORMANCE. P



4814605LL

T SYSTEM. PRODUCTIVITY.

JOHN BEAN® SCISSOR ALIGNMENT LIFT SYSTEMS PROVIDE UNMATCHED PRODUCTIVITY, PERFORMANCE AND VALUE.

John Bean scissor alignment lift systems are easy to operate, provide increased accessibility to alignment adjustment areas and are easy to load. Space saving design allows for up to five scissor lifts to fit into the same operating space as four 4-post lifts. Lock & Lighted models provide enhanced performance allowing the technician to perform critical tasks while minimizing alignment process operations, by illuminating both inspection and adjustment areas and by sequencing the locking of alignment plates.

KEY FEATURES

LOCK & LIGHTED MODEL FEATURES

- True Task™ Lighting System - optimized positioning of rear light bars increase the viewing angle and illuminate the widest range of vehicle track widths
- Front lights are mounted into the base of the turnplate and accommodate vehicles of varying wheel track widths
- Turnplates and slip plates that can be pneumatically locked/unlocked from the operator console
- When unlocked, the front and rear plates have full movement in all directions to ensure that proper alignment inspection and adjustment may be performed

WIDE 26" RUNWAYS

- Long and wide runways allow for alignment service on a wide range of vehicle widths and wheelbases

SLIP PLATES

- Durable, maintenance reduced 72" slip plates glide on over-sized bearings, providing the range of motion needed to apply rear alignment corrections

INTEGRATED AIR KIT

- Center runway mounted outlet allows clear access for operator to roller jacks

APPROACH RAMPS


- End sliders prevent damage to floors and are quieter than conventional metal rollers

MULTI-SAFETY SYSTEM

- Includes large twin-interlocking air-actuated safety locks featuring up to 18 level and locked positions and pressure sensing flow control valves



Wide 26" Runways



Slip Plates



Standard Roller Jacks




Approach Ramps



Multi-Safety System

STANDARD & OPTIONAL ACCESSORIES



STANDARD ROLLER JACKS

- 7,000 lb lifting capacity roller jacks for 14k Scissor Lifts



OPTIONAL PREMIUM TURNPLATES

- Premium turnplates (LxWxH)
18.5" x 19.7" x 2": 4814605AF
- 4814605LL comes standard with Locked and Lighted Plates

EQUIPMENT SPECIFICATIONS

- Part Number (Standard): 4814605AF
- Part Number (Flush Mount): 4814605AFFM*
- Part Number (Lock & Lighted): 4814605LL
- Part Number (Flush Mount, Lock & Lighted): 4814605LLFM*
- Maximum Capacity: 14,000 lbs (6,350 kg)
- Overall Width: 92.5" (234.95 cm)
- Width Between Runways: 38" (96.525 cm)
- Overall Length (Surface Mount): 270" (685.8 cm)
- Overall Length (Flush Mount): 238.625" (606.18 cm)
- Four Wheel Alignment Wheelbase: 88"/155" (224/394 cm)
- Two Wheel Alignment Wheelbase: 182" (462 cm)
- Service Wheelbase: 195" (495.3 cm)
- Runway Surface Length†: 210" (533.4 cm)
- Runway Surface Width: 26" (66 cm)
- Maximum Raised Height: 72"/62"* (183/158 cm)
- Minimum Lowered Height: 10"/0"* (25.4/0 cm)
- Console Dimensions (D x W x H):
16.5" x 14.125" x 45.75" (42 x 36 x 116 cm)
- Lifting Time: 85 Seconds
- Air Supply Requirements: 90-120 PSI
- Power Requirements: 230V 1Ph 60Hz
- Shipping Weight*: 5,793 lbs (2,627 kg)
- Shipping Weight* (Lock & Lighted): 5,863 lbs (2,659 kg)

*Flush mount models

†Does not include front wheel stops

#Includes Roller Jacks

For more information regarding the **14k Scissor Lifts**
call **800.362.4618 (US)** or **800.362.4608 (Canada)**
www.johnbean.com / www.johnbean.ca

John Bean is committed to product innovation and improvement. Therefore, specifications listed in this sell sheet may change without notice. ©2016 Snap-on Incorporated. John Bean is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders.

05/16 SS31781

JohnBean®