

PRODUCT FEATURES & SPECIFICATIONS

FEATURES

Pro42 Software

Advanced interface allows the technician to complete a fast and efficient, rolling compensation without jacking the vehicle

EZ-TOE*

Turn the front wheels and access difficult adjustment points while still displaying centered toe readings

Help Videos

View detailed videos of how to make needed adjustments to complete even the most complex tasks

Battery Notification

Alert notifies the technician when the pod's battery needs to be charged

Ride Height Measurement*

Measure ride height and obtain proper alignment specs for those vehicles requiring it

Manufacturer Specifications

Extensive OEM specs allows quick and accurate vehicle selection

Customer Records

Review and discuss vehicle service history through accessing and updating customer records

Customer Reports

Enhance customer satisfaction with personalized reports showing readings before and after service



EEWA557B
John Bean Prism

SPECIFICATIONS

Equipment Specifications

- **Wheel size:** 13" - 24" (33cm - 61cm)
- **Tire diameter:** Up to 37" (94cm)
- **Track width:** 48" - 96" (122cm - 244cm)
- **Wheel base:** 79" - 180" (201cm - 457cm)
- **Power requirements:** 120/230V, 1Ph, 50/60Hz

Standard Accessories

- **X-Light™ Wheel Clamps**
- **Steering Wheel Holder**
- **Brake Pedal Depressor**

Optional Accessories

- **Premium Turnplates:** EAK0289J06A
- **Universal Wheel Clamp Ext. Kit:** EAK0268J62A
- **Alloy Quick Clamp Kit:** EAK0268J63A



* Patented and/or Patent-Pending Features

John Bean is committed to product innovation and improvement. Therefore, specifications listed in this brochure may change without notice. © 2013 Snap-on Incorporated. John Bean is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders.

06/13 SS3039G

For more information regarding the Prism
Call 800.362.4618 (US) or 800.362.4608 (Canada)

www.johnbean.com

www.johnbean.ca

JohnBean™