



ACCESSORIES

Wheel Balancers / Tire Changers

ACCESSORIES



Balancer Accessories BAL - 1 through BAL - 7
Tire Changer Accessories TC - 1 through TC - 13

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)



John Bean Wheel Balancer Models



EEWB519A BFH 1000



EEWB502A
VPI System III





EEWB503A
VPI System II



EEWB504A
VPI System I





EEWB517A
Truck Wheel Balancer

PRODUCT IMAGE	USED ON	MODEL NO.	DESCRIPTION
	All Balancers	58839	Weight Pliers
	All Balancers	EEHT300A	Plastic Stick on Weight Removal Tool
	All Balancers	EAA0247G21A	Rim Width Calipers
	All Balancers	EAK0221J27A	Wheel Lift
	All 40mm shaft wheel balancers		Balancer Chuck
	All 40mm shaft wheel balancers	EAK0221J22A	Flange Plates – Kit set of four

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)



	All 40mm shaft wheel balancers	110141	Lug center hole measurement caliper to determine bolt circle diameter. (Used with EAK0221J22A Flange Plates)
	All 40mm shaft wheel balancers	EAS2081J30A	Flange Plate Storage Cart (Shown with EAK0221J22A - Flange Plates – Kit set of four – NOT INCLUDED)
	All System I, II, III and BFH 1000 40 mm shaft balancers	EAM0005D40A	Calibration Slug
	All System I, II, III and BFH 1000 40 mm shaft balancers	EAC0060G02A	Flange, Cover (Used with EAM0006G01A Accessory Pin)
	All System I, II, III and BFH 1000 40 mm shaft balancers	EAM0006G01A	Accessory Pin
	All 40mm shaft wheel balancers	EAM0003J05A	Standard 40 mm centering cone – 43mm to 63mm / 1.7" to 2.5"
	All 40mm shaft wheel balancers	EAM0003J06A	Standard 40 mm centering cone – 56mm to 84mm 2.2" to 3.3"
	All 40mm shaft wheel balancers	EAM0003J07A	Standard 40 mm centering cone – 71mm to 99mm / 2.8" to 3.6"

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)



	All 40mm shaft wheel balancers	EAM0003J08A	Standard 40 mm centering cone – 85mm to 123 mm / 3.3" to 5.2"
	All 40mm shaft wheel balancers	110560	Optional 40 mm centering cone – 75mm to 110 mm / 2.9" to 4.4"
	All 40mm shaft wheel balancers	60779	Optional 40 mm centering cone – 64.8mm to 80 mm / 2.6" to 3.2"
	All 40mm shaft wheel balancers	60781	Optional 40 mm centering cone – 84.1mm to 130.7 mm / 3.3" to 5.2"
	All 40mm shaft wheel balancers	60873	Optional 40 mm centering cone – 127.8mm to 174.2 mm / 5.1 to 6.9"
	All 40mm shaft wheel balancers	60874	Dual Wheel Spacer Disc – 8.2" O.D. by 2.5" deep
	All 40mm shaft wheel balancers	6310	Dual Wheel adapter set – Set consists of 60873 centering cone and 60874 Dual Wheel Spacer Disc.

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)



	All 40mm shaft wheel balancers	61252	Optional 40 mm centering cone – 70.1mm to 90 mm / 2.8" to 3.6"
	All 40mm shaft wheel balancers	61253	Optional 40 mm centering cone – 54.5mm to 74.3mm / 2.2" to 2.9"
	All 40mm shaft wheel balancers	61476	Optional 40 mm centering cone – 41.6mm to 63.5mm / 1.6" to 2.5"
	All 40mm shaft wheel balancers	110560	Optional 40 mm centering cone – 75mm to 110mm / 2.9" to 4.4"
	All 40mm shaft wheel balancers	111327	Optional 40 mm centering cone – 61mm to 79.9mm / 2.4" to 3.1"
	All 40mm shaft wheel balancers	111328	Optional 40 mm centering cone – 74.7mm to 93.8mm / 2.9" to 3.7"
	All 40mm shaft wheel balancers	111329	Optional 40 mm centering cone – 89mm to 133mm / 3.5" to 5.2"

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)






	All 40mm shaft wheel balancers	112096	Spacer Disc for Light Truck Wheels 8.6" OD by 1.5" deep. Can be used with cones 111329, 110561. 110607
	All 40mm shaft wheel balancers	110612	Dual Wheel Truck Cone Adapter Set – Consists of 110607 Truck cone and 112096 Spacer. Allows mounting of most 4x4 pick up trucks including wheels with built in locator pin.
	All 40mm shaft wheel balancers	110210	General Motors Spacer Disc – Spacer O.D is 8" , I.D. is 5.5". Depth is 1.5" Allows back cone mounting of most GM ¾ ton vehicles
		60466	Dual Wheel Spacer Disc – 6.0" O.D. by 2.3" deep
	All 40mm shaft wheel balancers	110614	Uni-Lug Adapter
	All System I, II, III and BFH 1000 40 mm shaft balancers	EAC0058D08A	Small Pressure Disc
	All System I, II, III and BFH 1000 40 mm shaft balancers	EAC0058D07A	Cup – Large Pressure
	All System I, II, III and BFH 1000 40 mm shaft balancers	EAC0058D15A	Soft Protective Ring

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)



	All System I, II, III - 40 mm shaft balancers except BFH 1000		Stub Shaft
	All System I, II, III - 40 mm shaft wheel balancers except BFH 1000	EAK0221J22A	Extended Stub Shaft
	All System I, II, III - 40 mm shaft balancers except BFH 1000	EAA0263G79A	Quick nut
	BFH 1000 Only	EAM0005D54A	Plastic Sleeve Only– (For Power Clamp Nut)
	BFH 1000 Only	EAA0283D53A	Power Clamp Nut Only (Does not include EAM0005D54A power Clamp Sleeve, or pressure drum)
	BFH 1000 Only	EAK0221J26A	Printer Kit – Fits JBC BFH 1000 Only
			

John Bean Balancer Accessories

(These Accessories fit all 40mm shaft Wheel balancers)



	EEWB517A Truck Balancer	112094	Deluxe Budd Wheel Adapter Set
	EEWB517A Truck Balancer	112109	24" Dayton Wheel Adapter
	EEWB517A Truck Balancer	112110	20" Dayton Budd Wheel Adapter
no photo	EEWB517A Truck Balancer	112111	4 Arm Star Quick Adapter Kit
no photo	EEWB517A Truck Balancer	112112	5 Arm Star Quick Adapter Kit
no photo	EEWB517A Truck Balancer	112113	4 and 5 Arm Star Quick Adapter kit
no photo	EEWB517A Truck Balancer	112116	Passenger Car Cone Kit
no photo	EEWB517A Truck Balancer	112292	Truck Balancer centering Disc 222.1 mm
no photo	EEWB517A Truck Balancer	112320	Truck Balancer centering Disc 220.8 mm
no photo	EEWB517A Truck Balancer	112459	Truck Plate Assembly Bolt

Tire Changer Accessories



John Bean Tire Changer Models



EEWH517A
EHP System V



EEW514AE
EHP System IV



EEWH513AU
EHP System III



EEWH512AE
EHP System II



EAA0247G01A /ST0011064

Standard with:

EHP System II – EEW512AU
EHP System IIE – EEW512AE
EHP System III – EEW513AU
EHP System IVE – EEW514AE
EHP System V – EEW517A

Mount/Demount Head Replacement Insert

provides soft touch tire handling. "Scratch-resistant" protector sleeve prevents top side damage to clear-coated and painted rims.



EAA0247G02A / ST0001418

Standard with:

EHP System II – EEW512AU
EHP System IIE – EEW512AE
EHP System III – EEW513AU
EHP System IVE – EEW514AE
EHP System V – EEW517A

Tire Mounting Bar

Is designed to pry the tire beads up onto the mount/demount head.



EAA0304G19A / ST4027591

Optional with:

EHP System II – EEW512AU
EHP System III – EEW513AU

Jaw Plastic

Protectors - Snaps over top of turntable clamps to prevent metal contact with the rim during the clamping procedure. Use EAA0304G19A one piece only, for all fixed single position jaws and EAA0304G20A for a set of four pieces

Tire Changer Accessories



EAA0247G04A / ST0024180

Optional With:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Tire Mounting Bar Plastic Protector

prevents metal
contact with the rim.



EAA0247G05A / ST4014528

Standard with:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Lubrication Storage Bottle & Swab

- Reservoir
for tire lubricant;
attaches to side of
tire changer tower.



EAA0247G06A / ST4016079

Standard with:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Mount/Demount Head Service Kit -

Set of four (4)
plastic protectors
and one (1) steel
roller for
mount/demount
head.



EAA0247G07A / ST4020349 (Single)
EAA0304G23A / ST4025478 (Set of 4)

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

Motorcycle Adapter

Fit on in-center jaws
turntables. Four (4)
required.

Tire Changer Accessories




EAA0247G08A / ST4020350 (Single)
EAA0304G24A / ST4024579 (Set of 4)

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

8" Adapters - Fit on all in-center jaws turntables



EAA0247G09A /10A

Standard with:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Water Filter & Air Lubricator

¼ & 3/8 sizes.
Water separator and automatic air oiler both protect and lubricate all internal components continuously.



EAA0247G11A / ST4024078

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Bead Depressor Clamp

simply and safely holds High Performance and Run Flat Tire beads into the drop center during mounting.



EAA0247G12A / ST4024098

Optional for:

EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Bead Breaker Extension

For extra large wheels



EAA0270J13A

Optional for:

EHP System IVE – EEWH514AE

Pneumatic Bead Assist

device aids technician in mounting tires, seating beads, etc. It is especially useful with low profile, stiff sidewall, and run-flat tires.

Tire Changer Accessories



EAA03029G33A / ST6027702

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE

Pneumatic Bead

Assist device aids technician in mounting tires, seating beads, etc. It is especially useful with low profile, stiff sidewall, and run-flat tires.



EAA0304G33A

Optional for Tire Changer Equipped with Pneumatic Bead Assist:

EHP System V – EEWH517A

Breaking the upper bead when the wheel is clamped on the turntable

Please note that due to the various designs of rims and tires the capability to break the upper bead on the turntable might not be possible on some wheels.



EAA0247G14A / ST4008755

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Motorcycle Bead Breaker Blade

Narrower than the standard – slips on the bead breaker blade.

Tire Changer Accessories



EAA0247G15A / ST4024181

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V –

Replacement

Mount/Demount Head Inserts (pack of 10)

Prevent the formed steel mount from impacting the rim during the changing process.



EAA0270J09A / ST4022713

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE

Safety Restraint

Arm positively secures the Wheel assembly during inflation to protect the



EAA0270J10A / ST4022714

Optional for:

EHP System III – EEWH513AU

Safety Restraint

Arm positively secures the Wheel assembly during inflation to protect the



EAA0270J11A / ST4022829

Optional for:

EHP System IVE – EEWH514AE
EHP SYSTEM I – EEWH511A

Safety Restraint

Arm positively secures the Wheel assembly during inflation to protect the operator.

Tire Changer Accessories



EAA0247G19A / ST4024330

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Quick Tool Exchange Kit

For use with optional EAA0247G20A Plastic Mount/Demount Head.



EAA0247G20A / ST4024784

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Plastic Mount/Demount Head

For use with optional EAA0247G19A Quick Tool Exchange Kit. Replaces standard formed steel head with a plastic mount/demount head to protect rims from damage.



EAA0247G70A / ST4003444

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Bead Holding Clamp

Facilitates mounting of the top bead, especially on low profile and stiff walled tires.



EAA0304G14A / ST0025946

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Wave Tire Lever

Special shaped lever, helpful in fitting over hard tire beads

Tire Changer Accessories



EAA0304G15A / ST0026582

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Plastic Edge

Protector fits on all bead breaker blades. Protects rim from possible metal to metal contact.



EAA0304G16A / ST4014528

Standard With:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Tire Lube Swab**Optional for:**

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A



EAA0304G19A / ST4027591

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

Plastic Clamping Jaw Protection -
Light alloy rim protector.



EAA0304G20A / ST4027870

Standard with:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

Rim Protectors -

Set of four light alloy rim protectors fit on center jaw turntables.

Tire Changer Accessories



EAA0304G21A / ST4027671 (Single)
EAA0304G22A / ST4027645 (Set of 4)

Standard with:

EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

**Plastic Clamping
Jaw Protection -**
Light alloy rim
protector

Optional for:

EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A



EAA0247G07A / ST4020349 (single)
EAA0304G23A / ST4025478 (set of 4)

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

**Motorcycle
Adapters -** Fit on all
in-center jaw
turntables for
mount/demount of
motorcycle wheels.




EAA0247G08A (Single) / ST4020350
EAA0304G24A (Set of 4) / ST4025479

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

8" Adapters - Fit on
all in-center jaws
turntables



EAA0304G25A (Single) / ST4025400
EAA0304G26A (Set of 4) / ST4025402

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

**BMW Motorcycle
Adapters -** Fit on all
in-center jaws
turntables

NO PHOTO

EAA0304G27A (single) / ST4026649
EAA0304G28A (set of 4) / ST4026650

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

**Light Truck
Adapter -** Fits on in-
center jaws
turntables

Tire Changer Accessories



EAA0304G29A (Set of 4) / ST4027242
EAA0304G30A (Single) / ST4027243

Optional for:

EHP System II – EEWH512AU
EHP System III – EEWH513AU

+ 4" Adapters -

Set of four adapters fit on in-center jaws turntable



EAA0304G31A (single) / ST4027524
EAA0304G32A (set of 4) / ST4027629

Optional for:

EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Light Truck Adapters -

Clamping jaws for light truck wheels. Fits on center-type sliding jaws turntables. Set of 4 pieces.



EAA0304G33A (single) / ST4027523
EAA0304G34A (set of 4) / ST4027628

Optional for:

EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

8" ATV & M/C

Adapter - Fits on center-type sliding jaws turntables. Can clamp both 8" ATV and m/c wheels up to 23" rim diameter. Order four for one set.



EAA0304G35A / ST4013706

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Motorcycle Mount/Demount Head

Requires optional motorcycle jaws and optional motorcycle bead breaker

Tire Changer Accessories



EAA0304G36A / ST4027647

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Quick Exchange Kit For Protruding Rim

Tool kit with plastic mount/demount head specially shaped to handle rims with protruding center spokes VW, Audi, Honda, Ford



EAA0304G37A / ST4027646

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Plastic Mount/Demount Head

- Plastic mount/demount head is specially shaped to handle rims with protruding center spokes VW, Audi, Honda, Ford

NO PHOTO

EAA0304G38A / ST0027978


Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Bead Seater Belt

- To seat the PAX tire beads.

USED ONLY WITH A EEWH515AU PAX DEDICATED TIRE CHANGER OR WITH A TIRE CHANGER FITTED WITH A PAX ADAPTER



EAA0304G40A / ST0026811

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

PAX Lever – to dismount outer bead on PAX wheel. To be used in combination with the reglette plastic insert. Use only with a EEWH515AU PAX dedicated tire changer or with a tire changer fitted with a PAX adapter



EAA0304G41A / ST4026084

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

PAX Lever with integrated plastic protection to dismount outer bead on PAX wheel. Use only with a EEWH515AU PAX dedicated tire changer or with a tire changer fitted with a PAX adapter

Tire Changer Accessories



NO PHOTO EAA0304G42A / ST4027657	Optional for: EHP System II – EEWH512AU EHP System IIE – EEWH512AE EHP System III – EEWH513AU EHP System IVE – EEWH514AE EHP System V – EEWH517A	Double Roller - To remove PAX clipped inlet. Use only with a EEWH515AU PAX didcated tire changer or with a tire changer fitted with a PAX adapter
NO PHOTO EAA0304G43A / ST4027658	Optional for: EHP System II – EEWH512AU EHP System IIE – EEWH512AE EHP System IVE – EEWH514AE EHP System V – EEWH517A	Adjustable Disk - To place PAX clipped inlet. Use only with a EEWH515AU PAX didcated tire changer or with a tire changer fitted with a PAX adapter
 EAA0304G44A / ST4026913	Optional for: EHP System II – EEWH512AU EHP System IIE – EEWH512AE EHP System IVE – EEWH514AE EHP System V – EEWH517A USED ONLY WITH PNEUMATIC BEAD ASSIST	Rim Depressor Tool, Extension - Longer extension for Pneumatic Bead Assist device. Needed when pressing down deep reversed rims during clamping
 EAA0304G45A / ST4024046	Optional for: EHP System II – EEWH512AU EHP System IIE – EEWH512AE EHP System IVE – EEWH514AE EHP System V – EEWH517A REQUIRES PNEUMATIC BEAD ASSIST	PAX Adapter - To be used with pneumatic mount/demount device.
NO PHOTO EAA0304G46A / ST4027673	Optional for: EHP System II – EEWH512AU EHP System IIE – EEWH512AE EHP System IVE – EEWH514AE EHP System V – EEWH517A	2nd Hex Bar Kit - To work with two bars on the PAX adapter. Use only with a EEWH515AU PAX didcated tire changer or with a tire changer fitted with a PAX adapter
NO PHOTO EAA0304G47A / ST4027674	Optional for: EHP System II – EEWH512AU EHP System IIE – EEWH512AE EHP System IVE – EEWH514AE EHP System V – EEWH517A	Double Roller & Adjustable Disk Assy. - To operate on clipped PAX support on the PAX adapter or to retrofit the PAX machine with old style

Tire Changer Accessories



tooling. Use only with a EEWH515AU PAX dedicated tire changer or with a tire changer fitted with a PAX adapter



Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Roller Mounting

Help Tool - Bead depressing roller for quick installation on the mount/demount head.

EAA0304G48A / ST4025966

NO PHOTO

EAA0304G49A / ST4026759

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Slip On Shoe -

Reduces gap between bead breaker blade and rubber pad.



EAA0304G51A / ST4026290

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Roller Board - For most Snap-on tire changers.




EAA0304G52A / ST4026853

Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Plastic Rim Edge Protector

Set of 3 plastic insert rim protectors; protects rim from scratches.



EAA0304G76A

Optional for:

EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

+ 4 jaws to clamp wheel up to 4 additional inches from the outside.

CAUTION DO NOT EXCEED THE TOTAL WHEEL DIAMETER SPECIFICATION FOR EACH MODEL TIRE CHANGER

Tire Changer Accessories



Optional for:

EHP System IIE – EEWH512AE
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

+ 4 quick exchange
device to be used in
conjunction with the
+ 4 jaws

EAA0304G80A



Optional for:

EHP System II – EEWH512AU
EHP System IIE – EEWH512AE
EHP System III – EEWH513AU
EHP System IVE – EEWH514AE
EHP System V – EEWH517A

Magic Bead Pusher

EAA0304G92A / ST4028648